

The Prium uses a polyester sheath for low elongation and increased resistance to the effects of humidity, dirt and dust.

The super strong polyamide core combines with the 32 carrier sheath for good handling and twisted yarns for a very high level of abrasion resistance.

The suppleness of the Prium 10.5 mm makes it a great choice for use with ascenders and descenders.

High static strength (31 kN)

Polyester Sheath with 32 carrier

Polyamide Core with 18 strands

Low elongation



White/Red - **501**: 50 m, **601**: 60 m, **1001**: 100 m, **2001**: 200 m, **6001**: 600 m

Sheath is made with **twisted yarn**, which improve abrasion, resistance and durability of the rope



For 200 and 600 m lengths
replacement labels included!

Can be used to replace old labels
or for individual identification

Ref.	Product name	Length	Weight		Static strength kN	Static strength w/ figure 8 knot kN	No. of factor 1 falls (100kg)	Fall factor 0.3 impact force kN	Static elongation 50/150 kg (%)	Sheath slippage mm	Sheath %	Shrinkage in water %	Material	CE EN 1891
			g/m	oz/m										
2815	PRIUM 10.5 mm	50 m	74	2.6	31	17.8	13	5.9	1.8	0	37	2.5	PA 6 - Polyester	A
		60 m												
		100 m												
		200 m												
		600 m												